



SULPHURIC ACID

PRODUCT NUMBER: S010301

LOT NUMBER: 3113040

RELEASE DATE: May, 2013

EXPIRY DATE: May, 2016

CERTIFICATE OF ANALYSIS

Tests	Maximum Specification	Actual Value	Units	<u>H₂SO₄ (93 - 98%): Properties</u>
Assay (H ₂ SO ₄ , w/w):	93 - 98%	95%	% by w/w	Molar Mass: 98.07g/mol
Colour (APHA):	10	< 7	APHA	Density: 1.84 g/ml
				Molarity: 18 moles/litre
				Normality: 36 moles/litre

Analyte	Maximum Specification	Actual Value (in ppb)	Analyte	Maximum Specification	Actual Value (in ppb)
Aluminum (Al)	1 ppb	< 0.5	Molybdenum (Mo)	0.5 ppb	< 0.1
Antimony (Sb)	1 ppb	< 0.1	Neodymium (Nd)	0.1 ppb	< 0.1
Arsenic (As)	0.5 ppb	< 0.5	Nickel (Ni)	0.5 ppb	< 0.1
Barium (Ba)	0.1 ppb	< 0.1	Niobium (Nb)	0.1 ppb	< 0.1
Beryllium (Be)	0.1 ppb	< 0.1	Palladium (Pd)	Information Only	< 0.5
Bismuth (Bi)	0.1 ppb	< 0.1	Platinum (Pt)	Information Only	< 0.5
Cadmium (Cd)	0.5 ppb	< 0.1	Potassium (K)	1 ppb	< 0.5
Calcium (Ca)	1 ppb	< 0.5	Praseodymium (Pr)	0.1 ppb	< 0.1
Cerium (Ce)	0.1 ppb	< 0.1	Rhodium (Rh)	0.5 ppb	< 0.5
Cesium (Cs)	0.1 ppb	< 0.1	Rubidium (Rb)	0.5 ppb	< 0.5
Chromium (Cr)	0.5 ppb	< 0.1	Samarium (Sm)	0.1 ppb	< 0.1
Cobalt (Co)	0.5 ppb	< 0.1	Scandium (Sc)	0.1 ppb	< 0.1
Copper (Cu)	0.5 ppb	< 0.1	Selenium (Se)	10 ppb	< 5
Dysprosium (Dy)	0.1 ppb	< 0.1	Silver (Ag)	1 ppb	< 0.1
Erbium (Er)	0.1 ppb	< 0.1	Sodium (Na)	1 ppb	< 0.5
Europium (Eu)	0.1 ppb	< 0.1	Strontium (Sr)	0.5 ppb	< 0.1
Gadolinium (Gd)	0.1 ppb	< 0.1	Tantalum (Ta)	Information Only	< 0.5
Gallium (Ga)	0.1 ppb	< 0.1	Tellurium (Te)	0.1 ppb	< 0.1
Germanium (Ge)	1 ppb	< 0.1	Terbium (Tb)	0.1 ppb	< 0.1
Gold (Au)	0.5 ppb	< 0.5	Thallium (Tl)	0.1 ppb	< 0.1
Hafnium (Hf)	0.1 ppb	< 0.1	Thorium (Th)	0.1 ppb	< 0.1
Holmium (Ho)	0.1 ppb	< 0.1	Thulium (Tm)	0.1 ppb	< 0.1
Indium (In)	0.1 ppb	< 0.1	Tin (Sn)	1 ppb	< 0.1
Iron (Fe)	1 ppb	< 0.5	Titanium (Ti)	1 ppb	< 0.5
Lanthanum (La)	0.1 ppb	< 0.1	Tungsten (W)	0.5 ppb	< 0.5
Lead (Pb)	0.1 ppb	< 0.1	Uranium (U)	0.1 ppb	< 0.1
Lithium (Li)	0.5 ppb	< 0.1	Vanadium (V)	0.5 ppb	< 0.1
Lutetium (Lu)	0.1 ppb	< 0.1	Ytterbium (Yb)	0.1 ppb	< 0.1
Magnesium (Mg)	1 ppb	< 0.5	Yttrium (Y)	0.1 ppb	< 0.1
Manganese (Mn)	0.5 ppb	< 0.1	Zinc (Zn)	1 ppb	< 0.2
Mercury (Hg)	0.1 ppb	< 0.02	Zirconium (Zr)	0.5 ppb	< 0.1

Analyte	Maximum Specification	Actual Value (in ppm)	Analyte	Maximum Specification	Actual Value (in ppm)
Chloride (Cl ⁻)	0.7 ppm	< 0.1	Substances reducing permanganate (KMnO ₄)	20 ppm	< 20
Nitrate (NO ₃ ⁻)	0.2 ppm	< 0.2	Total Phosphorus (P)	0.05 ppm	< 0.05

B McKelvey
 Dr. B. McKelvey
 QA/QC Manager



A member of the AXYS Group

10005 McDonald Park Road, Sidney, BC Canada V8L 5Y2
 Phone: 250-655-5880 - Fax: 250-655-5888 - Toll Free: 1-800-663-2330
www.seastarchemicals.com