



# HYDROFLUORIC ACID

## CERTIFICATE OF ANALYSIS

PRODUCT NUMBER: IQ-05

LOT NUMBER: 5108040  
 RELEASE DATE: May, 2008  
 EXPIRY DATE: May, 2011

| Tests            | Maximum Specification | Actual Value | Units    |
|------------------|-----------------------|--------------|----------|
| Assay (HF, w/w): | 47 - 51%              | 48%          | % by w/w |
| Colour:          | 10                    | < 10         | APHA     |

HF (47 - 51%): Properties  
 Molar Mass: 20.01g/mol  
 Density: 1.18 g/ml  
 Molarity: 29 moles/litre  
 Normality: 29 moles/litre

| Analyte         | Maximum Specification | Actual Value (in ppb) | Analyte           | Maximum Specification | Actual Value (in ppb) |
|-----------------|-----------------------|-----------------------|-------------------|-----------------------|-----------------------|
| Aluminum (Al)   | 1 ppb                 | < 0.5                 | Neodymium (Nd)    | 0.1 ppb               | < 0.1                 |
| Antimony (Sb)   | 0.2 ppb               | < 0.1                 | Nickel (Ni)       | 0.5 ppb               | < 0.1                 |
| Arsenic (As)    | 0.5 ppb               | < 0.1                 | Niobium (Nb)      | 0.1 ppb               | < 0.1                 |
| Barium (Ba)     | 0.1 ppb               | < 0.1                 | Palladium (Pd)    | 0.2 ppb               | < 0.2                 |
| Beryllium (Be)  | 0.1 ppb               | < 0.1                 | Platinum (Pt)     | 0.2 ppb               | < 0.2                 |
| Bismuth (Bi)    | 0.1 ppb               | < 0.1                 | Potassium (K)     | 1 ppb                 | < 0.2                 |
| Boron (B)       | 1 ppb                 | < 0.5                 | Praseodymium (Pr) | 0.1 ppb               | < 0.1                 |
| Cadmium (Cd)    | 0.1 ppb               | < 0.1                 | Rhenium (Re)      | 0.1 ppb               | < 0.1                 |
| Calcium (Ca)    | 1 ppb                 | < 0.5                 | Rhodium (Rh)      | 0.1 ppb               | < 0.1                 |
| Cerium (Ce)     | 0.1 ppb               | < 0.1                 | Rubidium (Rb)     | 0.1 ppb               | < 0.1                 |
| Cesium (Cs)     | 0.1 ppb               | < 0.1                 | Ruthenium (Ru)    | 0.1 ppb               | < 0.1                 |
| Chromium (Cr)   | 1 ppb                 | < 0.1                 | Samarium (Sm)     | 0.1 ppb               | < 0.1                 |
| Cobalt (Co)     | 0.1 ppb               | < 0.1                 | Scandium (Sc)     | 0.1 ppb               | < 0.1                 |
| Copper (Cu)     | 0.5 ppb               | < 0.1                 | Selenium (Se)     | 1 ppb                 | < 0.1                 |
| Dysprosium (Dy) | 0.1 ppb               | < 0.1                 | Silver (Ag)       | 0.5 ppb               | < 0.1                 |
| Erbium (Er)     | 0.1 ppb               | < 0.1                 | Sodium (Na)       | 1 ppb                 | < 0.5                 |
| Europium (Eu)   | 0.1 ppb               | < 0.1                 | Strontium (Sr)    | 0.1 ppb               | < 0.1                 |
| Gadolinium (Gd) | 0.1 ppb               | < 0.1                 | Tantalum (Ta)     | Information Only      | < 0.1                 |
| Gallium (Ga)    | 0.1 ppb               | < 0.1                 | Tellurium (Te)    | 0.1 ppb               | < 0.1                 |
| Germanium (Ge)  | 0.1 ppb               | < 0.1                 | Terbium (Tb)      | 0.1 ppb               | < 0.1                 |
| Gold (Au)       | 0.2 ppb               | < 0.2                 | Thallium (Tl)     | 0.1 ppb               | < 0.1                 |
| Hafnium (Hf)    | 0.1 ppb               | < 0.1                 | Thorium (Th)      | 0.1 ppb               | < 0.1                 |
| Holmium (Ho)    | 0.1 ppb               | < 0.1                 | Thulium (Tm)      | 0.1 ppb               | < 0.1                 |
| Indium (In)     | 0.1 ppb               | < 0.1                 | Tin (Sn)          | 0.5 ppb               | < 0.1                 |
| Iron (Fe)       | 1 ppb                 | < 0.5                 | Titanium (Ti)     | 1 ppb                 | < 0.5                 |
| Lanthanum (La)  | 0.1 ppb               | < 0.1                 | Tungsten (W)      | 0.5 ppb               | < 0.5                 |
| Lead (Pb)       | 0.1 ppb               | < 0.1                 | Uranium (U)       | 0.1 ppb               | < 0.1                 |
| Lithium (Li)    | 0.1 ppb               | < 0.1                 | Vanadium (V)      | 0.1 ppb               | < 0.1                 |
| Lutetium (Lu)   | 0.1 ppb               | < 0.1                 | Ytterbium (Yb)    | 0.1 ppb               | < 0.1                 |
| Magnesium (Mg)  | 1 ppb                 | < 0.2                 | Yttrium (Y)       | 0.1 ppb               | < 0.1                 |
| Manganese (Mn)  | 0.1 ppb               | < 0.1                 | Zinc (Zn)         | 1 ppb                 | < 0.1                 |
| Mercury (Hg)    | 1 ppb                 | < 0.03                | Zirconium (Zr)    | 0.1 ppb               | < 0.1                 |
| Molybdenum (Mo) | 0.1 ppb               | < 0.1                 |                   |                       |                       |

| Analyte                     | Maximum Specification | Actual Value (in ppm) | Analyte                              | Maximum Specification | Actual Value (in ppm) |
|-----------------------------|-----------------------|-----------------------|--------------------------------------|-----------------------|-----------------------|
| Chloride (Cl <sup>-</sup> ) | 4 ppm                 | < 4                   | Total Sulphur (S)                    | 0.1 ppm               | < 0.1                 |
| Total Phosphorus (P)        | 0.05 ppm              | < 0.05                | Fluosilicic Acid (SiF <sub>6</sub> ) | 20 ppm                | < 20                  |

Element concentrations are at the point of bottling. Concentrations of some elements in particular, Ca, Fe, Zn & Al will increase due to storage in polyethylene bottles.

Dr. B. McKelvey  
 QA/QC Manager

**SEASTAR CHEMICALS INC**  
 A member of the AXYS Group

10005 McDonald Park Road, Sidney, BC Canada V8L 5Y2  
 Phone: 250-655-5880 - Fax: 250-655-5888 - Toll Free: 1-800-663-2330  
 www.seastarchemicals.com